

1	Pro
2	Error
3	Close
4	Ok
5	Cancel
6	Yes
7	No
8	Reset
9	Apply
10	Select
11	Back
12	Forward
13	Save
14	Success
15	Search
16	Sort
17	More
18	Importing
19	Delete
20	Remove from map
21	Remove all from map
22	Edit
23	Clone
24	Cloned
25	Copy
26	Paste
27	Cut
28	Select all
29	Refresh
30	Default
31	Icon
32	Add
33	Export
34	Info
35	Name
36	Comment
37	Latitude
38	Longitude
39	Altitude
40	Sort by name
41	Sort by type
42	Sort by date
43	Sort by size
44	Sort by distance
45	Sort by duration
46	asc.
47	desc.
48	Maps
49	Styles
50	Tracks

51	Manage maps
52	Reload map
53	Reload overlay
54	Screenshot
55	Hide controls
56	Manage styles
57	Map language
58	Overlay language
59	Toggle night/day
60	Map layer style
61	Overlay layer style
62	Error while deleting file '%1'.
63	Import offline map
64	Add multimap
65	Add online map
66	Download maps
67	Download styles
68	Import style
69	All files
70	Mapsforge
71	SQLite
72	Images
73	Overlays
74	Error while loading map file '%1'. Make sure that the map format is supported, that the file is not corrupt, and that there is sufficient free space.
75	Extracting and importing map file. Depending on the map size this can take some time.
76	Do you really want to delete the map? This cannot be undone.
77	Load as overlay
78	Load current position
79	Load default position
80	Load last position
81	Clear cache
82	Attribution
83	Zoom
84	Min. zoom
85	Max. zoom
86	Cache size
87	Cache file
88	Bounding box
89	Modified
90	Map file size
91	Map file name
92	Projection
93	Server url
94	Server headers
95	Select maps
96	Tiles

97	Depending on the online map type different placeholders are used. Online maps: {x}/{y}/{z} represent the tile coordinates.  WMS maps: {minlon}/{maxlat}/{maxlon}/{minlat} hold the top-left and bottom-right coordinates of the requested bounding box. {ts} holds the requested tile size.
98	Each line specifies a header. The header key and value are separated by a ':'. Example: User-Agent:Cartograph Maps Referer:www.mysite
99	Online map type
100	Online map
101	WMS online map
102	Add map
103	Edit map
104	Set as map style
105	Set as overlay style
106	Error while loading style(s) from file '%1'. Make sure that the style format is supported, that the file is not corrupt, and that there is sufficient free space.
107	Extracting and importing style file. Depending on the style size this can take some time.
108	Do you really want to delete the style? This cannot be undone.
109	Edit style
110	Layers
111	Hillshading support
112	Manage tracks
113	Draw track
114	Clear all tracks
115	Manage track categories
116	Manage waypoint categories
117	Set as default
118	Do you really want to delete the category? This cannot be undone.
119	Edit category
120	Add category
121	Select image
122	Do you really want to delete the icon? This cannot be undone.
123	Import images
124	Importing image(s).
125	Error while loading one or more icons.
126	Import tracks
127	Importing track(s).
128	Error while loading one or more tracks.
129	Do you really want to delete the track? This cannot be undone.
130	Edit properties
131	Statistics
132	Waypoints
133	Graph
134	Category
135	Custom styling
136	Line color
137	Line width
138	Fix height
139	Load as track
140	Load as route
141	Edit track

142	Add point
143	Remove point
144	Previous point
145	Next point
146	List of points
147	Goto start
148	Track name
149	Finish drawing
150	Zoom in
151	Zoom out
152	Add waypoint
153	Start recording
154	Stop recording
155	Track position
156	New track
157	Continue track
158	New segment
159	Route waypoints
160	Goto route start
161	Measure
162	Measure distance
163	Measure area
164	meters
165	kilometers
166	feet
167	miles
168	nautic miles
169	Compass
170	GPS
171	Manual mode
172	Off
173	Track points
174	Time
175	Date
176	Speed
177	Course
178	Distance
179	Power
180	Watt
181	Beats per minute
182	Cadence
183	Temperature
184	Light intensity
185	Lux
186	Heart beats
187	Calories
188	KCal
189	Air pressure
190	mBar
191	Steps

192	Humidity
193	Hour
194	Min.
195	Sec.
196	Ms.
197	Default source
198	Webserver source
199	Error while getting location information. Make sure that the GPS device is correctly setup.
200	Error while starting the compass. Make sure that the compass correctly setup.
201	File manager
202	Rename
203	Do you really want to delete the file? This cannot be undone.
204	Filename
205	Error while renaming file. Make sure that the file is not in use.
206	Stop
207	Start
208	Wifi uploader
209	Address
210	Starting error. Make sure that the port is not blocked.
211	Port
212	Idle
213	Error while exporting track.
214	Share
215	The image has been successfully added to the system image gallery.
216	Error while adding image to the system gallery.
217	Email
218	Open in
219	Facebook
220	Twitter
221	Center map here
222	Do you really want to delete the waypoint? This cannot be undone.
223	Sort by altitude
224	Distance center
225	Distance start
226	Record audio
227	Capture photo
228	Add image
229	Distance to map center
230	Website
231	Open website
232	Visible
233	Edit waypoint
234	Pictures
235	Recordings
236	View
237	Media manager
238	Do you really want to delete the media file? This cannot be undone.
239	Deselect
240	Error while starting recording. Make sure that the microphone is correctly setup.

241	Audio player
242	Audio recorder
243	Photo viewer
244	Play
245	Pause
246	Free space
247	Recording space
248	Options
249	x-Axis
250	y-Axis
251	Slope
252	Route altitude profile
253	Max. speed
254	Up
255	Down
256	Start time
257	End time
258	Duration
259	Moving duration
260	Distance up
261	Distance down
262	Avg. moving speed
263	Avg. speed
264	Ascent
265	Descent
266	Min. altitude
267	Max. altitude
268	Ascent time
269	Descent time
270	Avg. power
271	Min. power
272	Max. power
273	Total heart beats
274	Avg. BPM
275	Min. BPM
276	Max. BPM
277	Avg. cadence
278	Max. cadence
279	Min. cadence
280	Avg. temperature
281	Min. temperature
282	Max. temperature
283	Avg. light intensity
284	Max. light intensity
285	Min. light intensity
286	Avg. humidity
287	Max. humidity
288	Min. humidity
289	Avg. air pressure
290	Min. air pressure

291	Max. air pressure
292	Avg. slope up
293	Avg. slope down
294	Min. slope
295	Max. slope
296	Elevation data
297	Missing elevation files
298	Download files
299	Ignore and continue
300	Processing
301	Fixing height data...
302	Error while downloading file '%1'. Make sure that there is sufficient free space available and that you are connected to the internet.
303	Error while creating file '%1'. Make sure that there is sufficient free space available.
304	Error while extracting file '%1'. Make sure that there is sufficient free space available.
305	Downloading
306	Downloading file (%1)...
307	Extracting
308	Extracting file '%1'.
309	Internal maps
310	The internal maps are basic maps without elevation data.
311	OpenAndroMaps.org
312	OpenAndroMaps offers free great offline mapsforge maps especially suited for outdoor activities. The maps contain elevation data and should be displayed with the OpenAndroMaps Elevate or Elements styles.
313	Manual download
314	Insert the url to a file for manual download (e.g. 'http://www.cartograph.eu/mycountry.map').
315	Download
316	Error while downloading data. Make sure that you are connected to the internet.
317	Downloading map information...
318	The OpenAndroMaps styles are excellent for hiking, cycling, and other outdoor activities.
319	Manage overlays
320	Add bookmark
321	Search route
322	Search POI
323	Goto coordinate
324	Bookmarks
325	Cartograph
326	Add bookmark overlay
327	Import overlays
328	Default category
329	Error while loading overlay(s) from file '%1'. Make sure that the overlay format is supported, that the file is not corrupt, and that there is sufficient free space.
330	Extracting and importing overlay file. Depending on the overlay file size this can take some time.
331	Do you really want to delete the overlay? This cannot be undone.
332	Load
333	Show bookmarks

334	Clear search results
335	Remove all overlays from map
336	Phone
337	Call
338	Download overlays
339	Searching...
340	Move map here
341	Add as bookmark
342	Add all to bookmarks
343	Limit to visible region
344	online
345	offline
346	Results
347	Question
348	Do you want to add all search results as bookmarks?
349	Details
350	Nothing found.
351	User agent
352	Select two or more points on the map (the markers are draggable) using the '+' button. Then press the search symbol to start route search.
353	Route
354	Provider
355	API key
356	Get API key
357	Help
358	Avoid
359	Disallow
360	Prefer
361	Road grade strategy
362	Cycling road factor
363	Type
364	Optimized
365	No route was found. If you think that this is an error then also check the search parameters, including API keys, for validity.
366	Settings
367	Default track color
368	Default track width
369	Default route color
370	Default route width
371	Selected track color
372	Selected track width
373	Coordinate mode
374	Temperature unit
375	Distance metric
376	Map scalebar
377	Map center cross
378	Map coordinate info
379	Keep screen on
380	GPS min. distance
381	GPS min. interval



382	GPS COM port
383	Webserver port
384	Min. GPS accuracy (meters)
385	Map direction icon
386	Overlay opacity
387	Max. overlay items
388	Max. search results
389	Decimal
390	Decimal+direction
391	Degrees
392	Degrees+direction
393	Celsius
394	Kelvin
395	Fahrenheit
396	Metric
397	Imperial
398	Nautic
399	Location provider
400	Sensor settings
401	Map tile size
402	Map scale factor
403	Mapsforge tile size
404	Mapsforge text scale
405	Mapsforge user scale
406	Heart rate
407	Size
408	Position
409	Top
410	Center
411	Bottom
412	Poll other devices
413	Send own position
414	Polling interval
415	Sending interval
416	Visualize users' paths
417	Live tracking
418	Custom service
419	Offline TwoWay RMap
420	Oruxmaps (SQLite)
421	Do you really want to delete the folder? All elements in the folder will be deleted. This cannot be undone!
422	Remove folder only
423	Remove folder and content
424	System file picker
425	Internal file picker
426	There are different means to import files into the app:
427	Wifi upload
428	The Wifi uploader can be used for uploading files over Wifi in the app.
429	Tools
430	User manual

431	Show routing dialog when recording
432	Howto videos
433	Limit map zoom level to min/max
434	Auto controls fade out time
435	Auto screen lock time
436	All maps
437	Offline maps
438	Online maps
439	Is overlay
440	Cluster overlays
441	Moveable
442	Restore default settings
443	Track opacity
444	Show top toolbar handle
445	Show bottom toolbar handle
446	Light theme
447	Theme accent color
448	Front button color
449	Show magnetic compass
450	Username
451	PIN
452	The advanced settings should not be changed unless you want to use an existing user token or track token.
453	User token
454	Track token
455	Show track on website
456	Number of retries
457	No valid position is available at the moment.
458	Current position to live tracking
459	Live tracking mode
460	Sampling method
461	Interval
462	Submit pending now
463	All pending jobs have been scheduled for upload.
464	Unspecified
465	Well
466	Alpine brook
467	Brook
468	Water tap
469	Spring
470	Rating
471	Description
472	Move to top
473	Here the app settings can be exported and imported (e.g. for manual backups).
474	Export settings
475	Import settings
476	The settings have been successfully imported. It is recommended to restart (kill) the app now.
477	Please select your preferred settings. All settings can also be changed later in the settings menu.

478	Design
479	Alternative map mouse mode
480	iTunes File Sharing
481	iTunes file sharing can be used for copying files to the app using iTunes.
482	File sharing help
483	iOS Open in
484	The iOS open in feature allows you to import files from other apps.
485	iOS Open in help
486	Load selected
487	Create subfolder for segments
488	Use plain Garmin symbols
489	Do you really want to stop recording?
490	Filter
491	Remove selected from map
492	Edit selected
493	Export selected
494	Merge selected
495	Track export format
496	Language
497	It is recommended to restart the app after changing the language.
498	Show route distance markers
499	Route distance marker interval
500	Routing
501	Volume
502	Rate
503	Pitch
504	Voice
505	Voice name
506	Note: voice commands are only spoken when the screen is unlocked and turned on.
507	Close to waypoint '%1'.
508	Route range left!
509	Route range
510	Range left
511	Use instructions stored in route
512	Authenticating
513	Uploading
514	Uploading data (%1)
515	Upload
516	Strava
517	Private
518	Commute
519	Activity type
520	High quality raster rendering
521	Import file
522	Multi-window mode (restart required)
523	Serial number
524	Get serial number
525	Error while registering. Make sure that the email address and serial number are correct (case sensitive).
526	Drag to unlock

527	Screen lock
528	Magnifier
529	Turn left in '%1'.
530	Turn right in '%1'.
531	Max. alert count
532	Enable
533	From
534	To
535	Alert interval
536	Turn alert distance
537	Use sound
538	Select sound
539	Text
540	Turn left
541	Turn right
542	Audio
543	Turn detection threshold (degrees)
544	Polling url
545	<p> Polling variables:&lt;br/&gt;-'{tf}': the last request UTC timestamp in seconds.&lt;br/&gt;&lt;br/&gt;Sending variables:&lt;br/&gt;-'{lat}': latitude.&lt;br/&gt;-'{lon}': longitude.&lt;br/&gt;-'{alt}': altitude.&lt;br/&gt;-'{cad}': cadence.&lt;br/&gt;-'{hf}': heart frequency.&lt;br/&gt;-'{pt}': point UTC timestamp in seconds.&lt;br/&gt;-'{st}': request UTC timestamp in seconds.&lt;br/&gt;-'{cal}': calories (kCal).&lt;br/&gt;-'{course}': course.&lt;br/&gt;-'{dst}': distance (meter).&lt;br/&gt;-'{speed}': speed (km/h).&lt;br/&gt;-'{power}': power (Watt).&lt;br/&gt;-'{temp}': temperature (°C).&lt;br/&gt;-'{lightint}': light intensity (lux).&lt;br/&gt;-'{hum}': humidity(%).&lt;br/&gt;-'{ap}': air pressure (mBar).&lt;br/&gt;-'{steps}': steps </p>
546	Sending url
547	Start polling
548	Stop polling
549	Start tracking
550	Stop tracking
551	Live tracking sending interval
552	Live tracking sending queue size
553	Units
554	Deselect all
555	Delete selected
556	Do you really want to delete the selected tracks? This cannot be undone.
557	Record ambient sensors
558	Coordinate to clipboard
559	Copying files to local storage. This can take some time depending on the file size.
560	Error while copying file '%1'. Make sure that there is sufficient free space available.
561	Contact us
562	Privacy
563	Changelog
564	Add photo waypoint
565	Edit bookmark
566	Full version
567	Import segments as tracks
568	This feature is only available in the full version. Do you want to show more information?

569	Importing finished.
570	Show top toolbar
571	Export app database
572	Import app database
573	After you have imported an app database the app has to be restarted.
574	Please restart the app now.
575	Advanced
576	Enable map popup
577	Reverse route
578	Show route direction markers
579	Download elevation data
580	Successfully downloaded elevation data for the visible map region. Depending on the map type it can be necessary to reload the map.
581	Offline hillshader
582	Offline relief map
583	Magnitude
584	Switch map
585	Color mode
586	linear
587	nearest
588	Colors
589	Navigate here
590	Visualize route elevation
591	Always copy files to local app storage
592	If checked then the following option always copies maps, overlays, etc. into the local app storage during import.
593	Interpolation overlap
594	Shading algorithm
595	Simple
596	Diffuse (slower)
597	Hillshading
598	Skiing
599	Backpacking
600	Boating
601	Canyoning
602	Driving
603	Fishing
604	Geocaching
605	Paragliding
606	Hiking
607	Ice skating
608	Kayaking/Canoeing
609	Motorcycling
610	Mountainbiking
611	Offroading
612	Other
613	Photography
614	Relaxation
615	Road biking
616	Climbing

617	Roller skating
618	Running
619	Sailing
620	Sightseeing
621	Skateboarding
622	Snowboarding
623	Snowmobiling
624	Snowshoeing
625	Trail running
626	Train
627	Trekking
628	Walking
629	Drinking water
630	Camp ground
631	Supermarket
632	Hotel
633	Restaurant
634	Information
635	Parking area
636	Scenic area
637	Summit
638	Swimming
639	Tunnel
640	Error while creating local file. Make sure that there is sufficient free space on the target device.
641	Default Mapsforge style
642	Experimental
643	MBTiles map
644	Mapsforge multi-map
645	Online overlay map
646	Locus SQLite map
647	Screen scaling factor
648	The screen scaling factor scales all controls. This is useful for instance if you need bigger buttons. A good scaling factor for getting bigger controls is '1.5'. NOTE: the application has to be restarted after changing this setting.
649	Folder
650	Add folder
651	Do you really want to delete the folder? All elements in the folder will be moved to the root folder.
652	Getting started/Help
653	Do you want to open the 'Getting Started' website with detailed instructions for loading maps, and styles?
654	Raster maps subtile count
655	The subtile count specifies the number of lower zoom level tiles which are used for stitching non-existing higher level tiles. A higher number results in slower processing while a lower number leads to more incomplete high zoom level tiles.